Printing date 05/21/2015

Reviewed on 05/21/2015

### **1** Identification

- · Product identifier
- · Trade name: ProBuild Resin
- · Article number: 1855088-2
- · Application of the substance / the mixture Epoxy resin
- Details of the supplier of the safety data sheet • Manufacturer/Supplier:
- Company Name: Axson USA, Inc.

Headquarters: 31200 Stephenson Hwy Madison Heights, MI 48071 USA

ehs-us@axson.com

- · Information department: Product safety department
- Emergency telephone number: During normal opening times: +1(248) 588-2270 Chemtec 24-hour Emergency: +1 (800) 424-9300

## 2 Hazard(s) identification

· Classification of the substance or mixture

GHS09 Environment

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

| Skin Irrit. 2 | H315 Causes skin irritation.              |
|---------------|---|
| Eye Irrit. 2A | H319 Causes serious eye irritation.       |
| Skin Sens. 1  | H317 May cause an allergic skin reaction. |
|               |   |

· Label elements

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms* 



· Signal word Warning

 Hazard-determining components of labeling: reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight ≤ 700) Bis(1,2,2,6,6-pentamethyl-4-piperidyl sebacate
Hazard statements

Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction.

(Contd. on page 2)

USA

Printing date 05/21/2015

Reviewed on 05/21/2015

#### Trade name: ProBuild Resin

| (Contd. of page 1)   |
|--|
| Toxic to aquatic life with long lasting effects.   |
| Precautionary statements   |
| Avoid breathing dust/fume/gas/mist/vapors/spray  |
| Wear protective gloves.  |
| Wear eye protection / face protection.   |
| Avoid release to the environment.  |
| Wash thoroughly after handling.  |
| Contaminated work clothing must not be allowed out of the workplace.   |
| If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. |
| Continue rinsing.  |
| Specific treatment (see on this label).  |
| Wash contaminated clothing before reuse.   |
| If skin irritation or rash occurs: Get medical advice/attention.   |
| If eye irritation persists: Get medical advice/attention.  |
| If on skin: Wash with plenty of water.   |
| Collect spillage.  |
| Take off contaminated clothing and wash it before reuse.   |
| Dispose of contents/container in accordance with local/regional/national/international regulations.            |
| Classification system:   |
| NFPA ratings (scale 0 - 4)   |
| Health = 1   |
| Fire = 1   |
| 1 $0$ Reactivity = 0   |
|  |
| HMIS-ratings (scale 0 - 4)   |
| HEALTH 1 $Health = 1$  |
| FIRE 1 $Fire = 1$  |
| <b>REACTIVITY</b> 0 Reactivity = 0   |
|  |
| Other hazards  |
| Results of PBT and vPvB assessment   |
| <b>PBT:</b> Not applicable.  |
| vPvB: Not applicable.  |
|  |

## 3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

| · Dangerous components:            |  |           |  |
|------------------------------------|--|-----------|--|
|                                    | reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average | 50 - 100% |  |
|                                    | $molecular$ weight $\leq$ 700)   | 1 50/     |  |
| CAS: 108-32-7<br>EINECS: 203-572-1 | propylene carbonate  | 1 - 5%    |  |
| CAS: 41556-26-7                    | Bis(1,2,2,6,6-pentamethyl-4-piperidyl sebacate                             | 0.25-<1%  |  |

## 4 First-aid measures

· Description of first aid measures

• After inhalation:

Supply fresh air and to be sure call for a doctor.

(Contd. on page 3)

USA

Printing date 05/21/2015

Reviewed on 05/21/2015

#### Trade name: ProBuild Resin

(Contd. of page 2)

- In case of unconsciousness place patient stably in side position for transportation.
- $\cdot$  After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

#### **5** Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

#### 6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions: Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.
- *Methods and material for containment and cleaning up:* Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.
- Reference to other sections
- See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.
- See Section 8 for information on personal protection e
- See Section 13 for disposal information.

#### 7 Handling and storage

- · Handling:
- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

(Contd. on page 4)

<sup>-</sup> USA

Printing date 05/21/2015

Reviewed on 05/21/2015

### Trade name: ProBuild Resin

| (Contd. of page 3)  |   |
|---|---|
| · Control parameters  |   |
| · Components with limit values that require monitoring at the workplace:  |   |
| The product does not contain any relevant quantities of materials with critical values that have to be monitored at   | - |
|   |   |
| the workplace.  |   |
| • Additional information: The lists that were valid during the creation were used as basis.                           | • |
| · Exposure controls   |   |
| · Personal protective equipment:  |   |
| • General protective and hygienic measures:   |   |
| Keep away from foodstuffs, beverages and feed.  |   |
| Immediately remove all soiled and contaminated clothing.  |   |
| Wash hands before breaks and at the end of work.  |   |
|   |   |
| Avoid contact with the eyes and skin.   |   |
| · Breathing equipment:  |   |
| In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use |   |
| respiratory protective device that is independent of circulating air.   |   |
| · Protection of hands:  | • |
| Protective gloves   |   |
| The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.                |   |
| Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the       |   |
| chemical mixture.   |   |
| Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation     |   |
| • Material of gloves  |   |
| The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and   |   |
| varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance       |   |
| of the glove material can not be calculated in advance and has therefore to be checked prior to the application.      |   |
| • Penetration time of glove material  |   |
| The exact break through time has to be found out by the manufacturer of the protective gloves and has to be           |   |
| observed.   |   |
| · Eye protection:   |   |
| - Lyc protection.   | • |
| Tightly sealed goggles  |   |

| · Information on basic physical and chemical properties |                 |  |
|---|-----------------|--|
| · General Information                                   |                 |  |
| · Appearance:<br>Form:                                  | Viscous         |  |
| Color:  | Amber colored   |  |
| · Odor:   | Amine-like      |  |
| · Odour threshold:                                      | Not determined. |  |
| · pH-value:   | Not determined. |  |
| · Change in condition                                   |                 |  |
| Melting point/Melting range:                            | Undetermined.   |  |

Printing date 05/21/2015

Reviewed on 05/21/2015

Trade name: ProBuild Resin

|                                       |   | (Contd. of page |
|---------------------------------------|---|-----------------|
| Boiling point/Boiling range:          | Undetermined.                                 |                 |
| · Flash point:                        | 251 °C (484 °F)                               |                 |
| · Flammability (solid, gaseous):      | Not applicable.                               |                 |
| · Ignition temperature:               |   |                 |
| Decomposition temperature:            | Not determined.                               |                 |
| · Auto igniting:                      | Product is not selfigniting.                  |                 |
| • Danger of explosion:                | Product does not present an explosion hazard. |                 |
| · Explosion limits:                   |   |                 |
| Lower:                                | Not determined.                               |                 |
| Upper:                                | Not determined.                               |                 |
| · Vapor pressure:                     | Not determined.                               |                 |
| • Density at 20 •C (68 •F):           | 1.1683 g/cm <sup>3</sup> (9.749 lbs/gal)      |                 |
| · Relative density                    | Not determined.                               |                 |
| · Vapour density                      | Not determined.                               |                 |
| · Evaporation rate                    | Not determined.                               |                 |
| · Solubility in / Miscibility with    |   |                 |
| Water:                                | Not miscible or difficult to mix.             |                 |
| · Partition coefficient (n-octanol/wa | ter): Not determined.                         |                 |
| · Viscosity:                          |   |                 |
| Dynamic:                              | Not determined.                               |                 |
| Kinematic:                            | Not determined.                               |                 |
| · Solvent content:                    |   |                 |
| Organic solvents:                     | 2.7 %   |                 |
| VOC content:                          | 0.2 %   |                 |
|                                       | 2.4 g/l / 0.02 lb/gl                          |                 |
| • Other information                   | No further relevant information available.    |                 |

### **10 Stability and reactivity**

- · Reactivity
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

### **11 Toxicological information**

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- $\cdot$  on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.
- Sensitization: Sensitization possible through skin contact.

(Contd. on page 6)

USA

Printing date 05/21/2015

Reviewed on 05/21/2015

#### Trade name: ProBuild Resin

#### · Additional toxicological information:

*The product shows the following dangers according to internally approved calculation methods for preparations: Irritant* 

#### · Carcinogenic categories

· IARC (International Agency for Research on Cancer)

111-76-2 2-butoxyethanol

 $\cdot$  NTP (National Toxicology Program)

None of the ingredients is listed.

#### · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

#### **12** Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Toxic for fish
- Additional ecological information:
- · General notes:
- Water hazard class 2 (Self-assessment): hazardous for water
- Do not allow product to reach ground water, water course or sewage system.
- Danger to drinking water if even small quantities leak into the ground.
- Also poisonous for fish and plankton in water bodies.
- Toxic for aquatic organisms
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

#### **13 Disposal considerations**

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

· Recommendation: Disposal must be made according to official regulations.

### **14 Transport information**

- · UN-Number
- · DOT

· IMDG, IATA

not regulated UN3082

(Contd. on page 7)

3

USA

Printing date 05/21/2015

Reviewed on 05/21/2015

| Trade | name: | ProBuild | Resin |
|-------|-------|----------|-------|
|       |       |          |       |

|   | (Contd. of page  |
|---|--|
| · UN proper shipping name   |  |
| DOT   | not regulated  |
| IMDG<br>IATA  | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID<br>N.O.S. (reaction product: bisphenol-A-(epichlorhydrin) epoxy resi<br>(number average molecular weight ≤ 700), Bis(1,2,2,6,6<br>pentamethyl-4-piperidyl sebacate), MARINE POLLUTANT<br>ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID |
|   | <i>N.O.S.</i> (reaction product: bisphenol-A-(epichlorhydrin) epoxy resi (number average molecular weight $\leq$ 700))   |
| Transport hazard class(es)  |  |
| DOT   |  |
| Class   | not regulated  |
| IMDG, IATA  |  |
|   |  |
| Class<br>Label  | 9 Miscellaneous dangerous substances and articles<br>9   |
| · Packing group   |  |
| DOT   | not regulated  |
| IMDG, IATA  | III  |
| Environmental hazards:  | Product contains environmentally hazardous substances<br>Bis(1,2,2,6,6-pentamethyl-4-piperidyl sebacate, reaction produc<br>bisphenol-A-(epichlorhydrin) epoxy resin (number averag<br>molecular weight ≤ 700)   |
| Marine pollutant:   | Yes  |
|   | Symbol (fish and tree)   |
| Special marking (IATA):   | Symbol (fish and tree)   |
| Special precautions for user                                      | Warning: Miscellaneous dangerous substances and articles   |
| Danger code (Kemler):   | 90<br>E A S E  |
| EMS Number:   | F-A,S-F  |
| Transport in bulk according to Annex MARPOL73/78 and the IBC Code | II of<br>Not applicable.   |
| UN ''Model Regulation'':  | UN3082, Environmentally hazardous substances, liquid, n.o<br>(reaction product: bisphenol-A-(epichlorhydrin) epoxy resi<br>(number average molecular weight ≤ 700)), 9, III  |

## **15 Regulatory information**

 $\cdot$  Safety, health and environmental regulations/legislation specific for the substance or mixture  $\cdot$  Sara

• Section 355 (extremely hazardous substances):

None of the ingredients is listed.

 $\cdot$  Section 313 (Specific toxic chemical listings):

111-76-2 2-butoxyethanol

(Contd. on page 8)

USA

NL

А3

### Safety Data Sheet acc. to OSHA HCS

Printing date 05/21/2015

Reviewed on 05/21/2015

#### Trade name: ProBuild Resin

|   | (Contd. of page 7) |
|---|--------------------|
| · TSCA (Toxic Substances Control Act):                        |                    |
| All ingredients are listed.                                   |                    |
| · Proposition 65  |                    |
| · Chemicals known to cause cancer:                            |                    |
| None of the ingredients is listed.                            |                    |
| · Chemicals known to cause reproductive toxicity for females: |                    |
| None of the ingredients is listed.                            |                    |
| · Chemicals known to cause reproductive toxicity for males:   |                    |
| None of the ingredients is listed.                            |                    |
| · Chemicals known to cause developmental toxicity:            |                    |
| None of the ingredients is listed.                            |                    |

#### · Carcinogenic categories

· EPA (Environmental Protection Agency)

111-76-2 2-butoxyethanol

· TLV (Threshold Limit Value established by ACGIH)

111-76-2 2-butoxyethanol

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms* 



· Signal word Warning

· Hazard-determining components of labeling: reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight  $\leq$  700) Bis(1,2,2,6,6-pentamethyl-4-piperidyl sebacate · Hazard statements Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction. Toxic to aquatic life with long lasting effects. · Precautionary statements Avoid breathing dust/fume/gas/mist/vapors/spray Wear protective gloves. *Wear eye protection / face protection.* Avoid release to the environment. Wash thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Specific treatment (see on this label). Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention.

(Contd. on page 9)

USA

Printing date 05/21/2015

Reviewed on 05/21/2015

#### Trade name: ProBuild Resin

(Contd. of page 8)

If on skin: Wash with plenty of water. Collect spillage. Take off contaminated clothing and wash it before reuse. Dispose of contents/container in accordance with local/regional/national/international regulations. • Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Date of preparation / last revision 05/21/2015 / 1

· Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A Skin Sens. 1: Sensitisation - Skin, Hazard Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2